



اكسيموس التجارة قطع الغيار الصناعية ش.ذ.م.م

Pipe
Fittings

Valves
Hoses

Pneumatic
Valves

Hydraulic
Fittings

Clamps &
Couplings

Compression
Fittings

PRODUCT CATALOGUE



Scan to Download
Our Catalogue

Shop #4, Thavakkel Building,
Al Burj Street Deira, Dubai
P.O. Box: 380940
T: +971 4 221 5651
M: +971 55 785 4895
M: +971 55 549 2007
E: info@eximustrading.com
W: www.eximustrading.com

Pipe Fittings

BUTTWELD FITTINGS



MATERIALS : MS, SS
GRADE : SCH40, SCH80
SIZE : 1/2" To 12"

FLANGES



MATERIALS : MS, SS
STANDARD : #150, PN16, 5K, 10K
SIZE : 1/2" To 12"
TYPE : Slip-On, Threaded, Weldneck, Blind



HIGH PRESSURE FITTING



MATERIALS : SS, CS
Pr RATING : 1000psi, 2000psi, 3000psi, 6000psi
SIZE : 1/8" To 4"
TYPE : Threaded, Socket Weld

LOW PRESSURE FITTING



MATERIALS : SS
STANDARD : #150PSI
SIZE : 1/8" To 4"
TYPE : NPT, BSPT, Threaded Fittings



GI FITTING



MATERIALS : Galvanized Iron
SIZE : 1/8" To 4"
TYPE : Threaded Fittings

BRASS FITTINGS



MATERIALS : BRASS
SIZE : 1/8" To 4"
TYPE : BSPT/NPT Threaded



Couplings

CAMLOCKS



Material: Alum, BRASS, SS, PP | **Size:** 1/2" To 6" | **Type:** NPT & BSPT Threaded

REDUCING CAMLOCK



CHICAGO (CLAW COUPLINGS)



Material: GI & Brass | **Size:** 1/4" To 2"

STROZ COUPLINGS (CEMENT COUPLINGS)



Material: Alum, Brass

Size: 1" To 6"

GIMILLING COUPLINGS (FRENCH COUPLING)



Material: Alum | **Size:** 2" To 4"

BAUR COUPLING



MILER COUPLINGS



Material: GI | **Size:** 2" To 12"

ALUMN [PUMP] COUPLINGS

Material: Alum & Brass

Size: 1" To 4"



Pneumics
pneumatics & industrial
hardware products

GRANIS
advanced automation solutions

spark
industrial products
and accessories

FESTO

WIKAI

Parker

LUDECKE

Kossini

Infinity

VIRAJ

Semsonex
PVC Flexible Braided Hose

INTERTECH

Clamps

HOSE CLIPES [JUBILEE TYPE]

Material: SS, GI

Size: 1/8" To 12"



DOUBLE BOLT CLAMPS

Material: Ductile iron

Size: 1/2" To 12"



SINGLE BOLT CLAMP

Material: GI & SS

Size: 1/2" To 12"



INTERLOCK CLAMPS [4BOLT CLAMP]

Material: DI

Size: 1/2" To 3"



HOSE CLIPS [SS]

Material: SS

Size: 1/4" To 6"



CHICAGO CLAMP

Material: DI

Size: 1/2" To 2"



2 EAR CLAMPS

Material: CS

Size: 7mm To 30mm



HYDRAULIC TUBE CLAMP

Material: PP

Size: 6mm To 200mm
1/2" to 8"



WHIP CHECKS

Material: GI

Size: 1/8", 1/4" & 3/8"



Pneumatic

FRLS



TYPE : Single, Double, 3pcs Body
Pressure : 0 to 10 Bar
SIZE : 1/4" To 2"

MRHR

TYPE : Single
Pressure : 0 To 30 Bar
SIZE : 1/4" To 1"



HPFR

TYPE : Single, Double, 3pcs Body
Pressure : 0 To 16 Bar
SIZE : 1/2" To 1"



Tubings


PU TUBES & COILS

Made in Korea



Size: 4mm To 16mm
 1/4" To 1/2"/10Bbar WP
Colours: Red, Blue, Green, Black, Transparent

NYLON TUBE



Size: 4mm To 16 mm
 1/4" To 1/2"/30 Bar WP
Colours: black & Transparent



PU COILS

Size: 6mm To 12mm
Length: 10Mtrs, 15Mtrs

Push Fittings

METAL FITTINGS



Size: 4mm To 16 mm
Material: Brass with Chrome Plated



Pneumics
 pneumatics & industrial
 hardware products

GRANIS
 advanced automation solutions

spark
 electrical products
 and accessories

FESTO

WIKAL

Parker

LUDECKE

l'ossini

Infinity

VIRAJ

Semsonex
 PVC Flexible Braided Hoses

PRIMO
 PNEUMATIC COILS

Pneumatic Valves

SOLENOID VALVE

Size: 1/4" To 2"

Materials: Brass, SS
Normally Close & Open



MECHANICAL VALVE

Size: 1/4" To 1/2"



SOLENOID VALVE

Size: 1/8" To 1/2"

Materials: Aluminium

Type: 5/2 way, 3/2 way



LUDECKE
Since 1930. The perfect connection.



BRASS SILENCER

Material: Brass,

Size: 1/8" To 1"



NITTO TYPE COUPLINGS

Material: CP, SS

Size: 1/4" To 1"



MILTON TYPE COUPLINGS

Material: Brass

Size: 1/4" To 1/2"



AIR BLOW GUNS

Material: Aluminium

Size: 1/4"



Pneumics
pneumatics & industrial
hardware products

GRANIS
advanced automation solutions

spark
electrical products
and accessories

FESTO

WIKAL

Parker

LUDECKE

Kossini

Infinity

VIRAJ

Semsonex
PVC Flexible Braided Hose

INDUSTRIAL
HYDRAULIC CENTER

Hydraulic Hose & Fittings

R1 HYDRAULIC HOSE

Size: 1/4" To 2"

Material : Rubber



Semsonex
PVC Flexible Braided Hose

R2 HYDRAULIC HOSE

Size: 1/4" To 2"

Material : Rubber



Semsonex
PVC Flexible Braided Hose

4 WIRE (4SP/4S4) HYDRAULIC HOSE

Size: 1/4" To 2"

Material : Rubber



Semsonex
PVC Flexible Braided Hose

FERRULES

Material: CS,SS

Type: R1,R2,4 wire

Size: 1/4" To 2"



HYDRAULIC FITTINGS

Material: CS/SS

Type: BSP, NPT, JIC
METRIC, Flanged, ORFS

Size: 1/4" To 2"



HYDRAULIC ADAPTORS

Material: CS/SS

Type: BSP, NPT, JIC, METRIC

Size: 1/4" To 2"



HYDRAULIC QUICK COUPLINGS

Material CS,SS

Size: 1/4" To 2"

Type: BSPT and NPT Threaded



WINGNUT COUPLING

Material: Brass

Size: 3/4" To 1 1/4"

Type: BSPT and NPT Threaded



FLAT FACE COUPLING

Material: CS,SS

Size: 1/2" To 1"

Type: BSPT and NPT Threaded



Pneumics
pneumatics & industrial
hardware products

GRANIS
advanced automation solutions

spark
electrical products
and accessories

FESTO

WIKAL

Parker

LUDECKE

IKOSINI

Infinity

VIRAJ

Semsonex
PVC Flexible Braided Hose

PRIMO

Industrial Hoses

WATER SUCTION DISCHARGE



MATERIALS : Rubber
SIZE : 1" To 12"
Pressure : 10 Bar & 20 Bar



OIL SUCTION DISCHARGE



MATERIALS : Rubber
SIZE : 1" To 12"
Pressure : 10 Bar & 20 Bar



R6 FUEL HOSE



MATERIALS : Rubber
SSIZE : 1/4" To 1"
TYPE : Black Color, Cotton Wrap

BULK MATERIAL HOSE (CEMENT)



MATERIALS : Rubber
SIZE : 2" To 6"
Pressure : 20 Bar



RUBBER AIR HOSE



MATERIALS : Rubber
SIZE : 1/4" To 4"
Pressure : 20 Bar

MULTIPURPOSE / GENERAL PURPOSE HOSE



MATERIALS : Rubber
SIZE : 1/4" To 2"
TYPE : Black, Red
Pressure : 20 Bar

COTTON BRAIDED FUEL HOSE



MATERIALS : Rubber
SIZE : 3mm To 1/2"
TYPE : Rubber with cotton braided

TWIN WELDING HOSE (GAS HOSE)



MATERIALS : Rubber
SIZE : 1/4" To 1/2"
TYPE : Red and Blue
Pressure : 20 Bar



Industrial Hoses

SUCTION HOSE



MATERIALS : PVC

SIZE : 1" To 8"

TYPE : Green, Olive Green, Grey

STEEL WIRE HOSE (HELIX HOSE)



MATERIALS : PVC

SIZE : 1/2" To 6"

TYPE : Transparent

PVC BRAIDED HOSE



MATERIALS : PVC

SIZE : 1/4" To 2"

TYPE : Transparent
(Nylon Braiding)

Pressure : 20 Bar

PVC LEVEL HOSE



MATERIALS : PVC

SIZE : 1/4" To 2"

TYPE : Transparent

PVC LAY FLAT HOSE



MATERIALS : PVC

SIZE : 1" To 12"

TYPE : Blue

Pressure : 4 Bar

PVC DUCT HOSE



MATERIALS : PVC

SIZE : 1" To 12"

TYPE : Grey

FIRE FIGHTING HOSE (CANVAS)



MATERIALS : PVC with Canvas Braided

SIZE : 1" To 4"

TYPE : White

PU VACUUM HOSE



MATERIALS : PU with Copper Coil

SIZE : 1" To 12"

TYPE : Transparent



Valves

BRASS BALL VALVE

MATERIALS : Brass
STANDARD : 600 wog
SIZE : 1/4" To 6"
TYPE : full Bore



BRASS CHECK VALVE VERTICAL TYPE

MATERIALS : Brass
STANDARD : PN16
SIZE : 1/2" To 4"



BRASS Y STRAINER

MATERIALS : Brass
STANDARD : PN16
SIZE : 1/2" To 4"



BRASS GATE VALVE

MATERIALS : Brass
STANDARD : PN16, PN20
SIZE : 1/4" To 6"



BRASS CHECK VALVE SWING/FLAP TYPE

MATERIALS : Brass
STANDARD : PN16
SIZE : 1/2" To 6"



BRASS FOOT VALVE

MATERIALS : Brass
STANDARD : PN16
SIZE : 1/2" To 2"



BRONZE SFETY VALVE

MATERIALS : Bronze
TYPE : with lever & without lever

PRESSURE : 10bar, 16bar, 20bar, 35bar



Valves

SS BALL VALVE 2PC BODY FULL BORE



MATERIALS : SS/CS
STANDARD : 1000WOG
SIZE : 1/4" to 4"
TYPE : NPT & BSPT



SS CHECK VALVE SWING/FLAP TYPE

MATERIALS : SS
STANDARD : 200wog
SIZE : 1/2" To 4"
TYPE : NPT & BSPT



SS BALL VALVE 3PC BODY FULL BORE

MATERIALS : SS AND CS
STANDARD : 1000WOG
SIZE : 1/4" to 4"
TYPE : NPT & BSPT



SS CHECK VALVE VERTICAL TYPE

MATERIALS : SS
STANDARD : 200 wog
SIZE : 1/2" To 4"
TYPE : NPT, BSPT



FLANGE TYPE BALL VALVE

MATERIALS : CS, SS
STANDARD : PN16, #150, #300
SIZE : 1/2" To 8"



SS Y STRAINER

MATERIALS : SS
STANDARD : 200 wog
SIZE : 1/2" To 4"
TYPE : NPT, BSPT



SS GATE VALVE

MATERIALS : SS
STANDARD : 200wog
SIZE : 1/2" To 4"
TYPE : NPT & BSPT Threaded



SS WAFER TYPE CHECK VALVE

MATERIALS : SS
STANDARD : #150, PN16, 5K, 10K
SIZE : 1" To 8"
TYPE : PN40



WAFER TYPE CHECK VALVE FLAT TYPE

MATERIALS : CS, SS
STANDARD : #150, PN16, 5K, 10K
SIZE : 1" To 12"



Pneumics
pneumatics & industrial
hardware products

GRANIS
advanced automation solutions

spark
electrical products
and accessories

FESTO

WIKAL

Parker

LUDECKE

Kossini

Infinity

VIRAJ

Semsonex
PVC Flexible Braided Hose

RESEARCH & DESIGN

Valves

PNEUMATIC ACTUATOR BUTTERFLY VALVE

Materials : CI body with SS Disc

Size : 2" To 14"




PNEUMATIC ACTUATOR BALL VALVE

Materials : SS

Size : 1/2" To 4"

Type : Threaded and Flang



CONTROL VALVES

Size: 1/2" To 2"

Material: SS



CS Y STRAINER FLANGE TYPE

MATERIALS : CS, SS

STANDARD : #150, PN16

SIZE : 1/2" To 12"

DUST COLLECTOR VALVE

Size: 1/4", 1/2", 1"



CS GATE & GLOBE VALVE FLANGE TYPE

MATERIALS : CS, SS

STANDARD : PN16, #150, #300

SIZE : 1/2" To 12"



CS FLANGE TYPE CHECK VALVE

MATERIALS : CS, SS

STANDARD : PN16, #150, #300

SIZE : 1/2" To 12"



Valves

CI BUTTERFLY VALVE



MATERIALS : CI Body DI Disc, & SS Disc
STANDARD : #150, PN16, 5K, 10K
SIZE : 2" To 12"

CAST IRON GATE & GLOBE VALVE FLANGE TYPE

Material: CI
Standard: #150, PN16, 5K, 10K
Size: 1/2" To 12"



WAFER TYPE CHECK VALVE

MATERIALS : CI Body DI and SS Disc
STANDARD : #150, PN16, 5K, 10K
SIZE : 1" To 12"



CI FLANGE TYPE CHECK VALVE

MATERIALS : Cast Iron
STANDARD : PN16, 5K, 10K
SIZE : 1/2" To 12"



UNIVERSAL COUPLING & ADAPTORS

MATERIALS : Cast Iron
STANDARD : PN16
SIZE : 2" To 12"



CI Y STRAINER FLANGE TYPE

MATERIALS : CI
STANDARD : #150, PN16
SIZE : 1/2" To 12"



CI FOOT VALVES & CONNECTORS

Material: CI
Size: 2" To 12"
Type: Threded & Flange Type



HOSE COLLAR

Material: CI
Size: 2" To 12"
Type: Threded & Flange Type



Gauges



SS PRESSURE

Material: SS with Brass Connection & SS Connection

Size: 2 1/2" ,4" & 6"



MS PRESSURE

Material: MS Body Brass connection

Size: 2", 2 1/2" & 4"



VACCUM GAUGE ONLY

Material: SS Body Brass connection

Size: Vaccum:2 1/2" & 4"

Compression Fittings

DOUBLE FERULE FITTINGS

Material: SS **STEELLOC**

Size: Inch & mm



BRASS COMPRESSION FITTINGS

Material: Brass **STEELLOC**

Size: Inch & mm



NEEDLE VALVES

Material: SS **STEELLOC**

Type: MxF, FxF

PR: 3000,6000,10000 PSI



Stainless Steel Crimping




HDPE Fittings



Grease Fittings



Rubber Bellow & Sheets



Valves & Couplings

PVC FOOT VALVE

MATERIALS : PVC
STANDARD : PN16
SIZE : 1" To 8"
TYPE : Threaded



PVC COUPLINGS

Material: PVC
Size: 1/2" To 8"
Type: Hose Mender
 Hose Collar



BIB COCK VALVE



Pneumics
 pneumatics & industrial
 hardware products

GRANIS
 advanced automation solutions

spark
 electrical products
 and accessories

FESTO

WIKAI

Parker

LUDECKE

lucosini

Infinity

VIRAJ

Semsonex
 PVC Flexible Braided Hose

DELTA
 DELTA & CO. LTD.

**24/7
HYDRAULIC
& CRIMPING
SERVICE**



اكسيموس التجارة قطع الغيار الصناعية. ش. ذ. م. م

Shop #4, Thavakkel Building, Al Burj Street, Deira, Dubai | P.O. Box: 380940

T: +971 4 221 5651 | M: +971 55 785 4895 | M: +971 55 549 2007

E: info@eximustrading.com | W: www.eximustrading.com